09/899, 478.



Docket No.: OSTEONICS

3.0-417 PATENT)

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of: Treacy et al.

Patent No.: 6,840,959 62

Issued: January 11, 2005

For: PELVIC PROSTHESIS PLUS METHODS

AND TOOLS FOR IMPLANTATION

Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

## REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.323

Dear Sir:

Enclosed herewith is an original and one copy of a Certificate of Correction with respect to the above-identified U.S. Patent. You are hereby authorized to charge Deposit Account No. 12-1095 in the amount of \$100 to cover the required fee for filing a Certificate of Correction under § 1.323.

These errors were inadvertent, occurred in good faith and do not involve any changes which constitute new matter.

Certificate
FEB 0 8 2005
of Correction

02/07/2005 BABRAHA2 00000007 121095 6840959 01 FC:1811 100.00 DA

We look forward to early return of the copy of the Certificate of Correction duly certified.

Dated: January 31, 2005

Respectfully submitted,

Konstantin A. Caploon Registration No.: 51,527 LERNER, DAVID, LITTENBERG,

KRUMHOLZ & MENTLIK, LLP

600 South Avenue West

Westfield, New Jersey 07090

(908) 654-5000

Attorney for Applicant

541605\_1.DOC

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

6.840.959 B2

DATED

January 11, 2005

INVENTOR(S)

Patrick J. Treacy, Damon Servidio, Lawrence R. Menendez, and Kathleen N.

Burns

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover page in the first column, (73) "Ostenics" should read --Osteonics-- .

Column 1, line 52, after "in", insert --the--.

Column 7, line 2, cancel the second occurrence of "used to".

Column 7, line 28, "spaced apart" should read --spaced-apart--.

Column 7, line 30, "spaced apart" should read --spaced-apart--.

Column 8, line 1, "spaced apart" should read --spaced-apart--.

Column 8, line 3, "spaced apart" should read --spaced-apart--.

Column 8, line 5, cancel "hold".

PATENT NO. 6,840,959

No. of additional copies 1